



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/521,879	01/21/2005	Fabrice Pardo	37392	6163
116 7590 10/05/2007 PEARNE & GORDON LLP 1801 EAST 9TH STREET SUITE 1200 CLEVELAND, OH 44114-3108				
EXAMINER				
INGHAM, JOHN C				
ART UNIT		PAPER NUMBER		
2814				
MAIL DATE		DELIVERY MODE		
10/05/2007		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/521,879

Applicant(s)

PARDO ET AL.

Examiner

John C. Ingham

Art Unit

2814

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 August 2007.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1-15 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 21 January 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☒ Certified copies of the priority documents have been received in Application No. PCT/FR03/02343.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO/S508)
Paper No(s)/Mail Date _____
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____

DETAILED ACTION

1. The amendments to the claim filed 1 August 2007 have been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
4. Claims **1-3, 9-10, and 12-15** are rejected under 35 U.S.C. 103(a) as being unpatentable over Strittmatter (High-Frequency, Long Wavelength Resonant-Cavity-Enhanced InGaAs MSM Photodetectors) and Itatani (US 5,945,720).
5. Regarding claims **1-3, 9-10, and 12**, Strittmatter discloses in Fig 1 an MSM type photo-detection device (Introduction) designed to detect incident light and comprising

reflecting means (DBR layer InGaAlAs:Fe/InAlAs:Fe) superposed on a first face of a support (substrate) to form a first mirror for a Fabry-pérot type resonant cavity (Introduction), a layer of material that does not absorb said light (InAlAs), an active layer (absorbing layer) made of a semiconducting material (InGaAs:Fe) absorbing incident light and a network of polarization electrodes (interdigitated Pt/Au electrodes) collecting the detected signal, the electrodes network being arranged on the active layer, the electrodes network being composed of parallel conducting stripes at a uniform spacing ($1.0\mu\text{m}$), the electrodes network forming a second mirror for the resonant cavity (Introduction), the optical characteristics of this second mirror being determined by the geometric dimensions of said conducting strips, the distance separating the first mirror from the second mirror being determined to obtain a Fabry-perot type resonance (phase-matching, pg 146) for incident light between these two mirrors. Strittmatter does not specify that the period of the electrodes is less than the wavelength of incident light ($1.31\mu\text{m}$). Instead, Strittmatter discloses a period of $1.8\mu\text{m}$.

Itatani teaches that the smaller the width of the window between electrodes, the faster the operating speed of a photodetecting device (col 1 ln 45-50). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the teachings of Itatani in the device of Strittmatter in order to increase the speed of the photodetector.

6. Regarding claims **13 and 14**, Strittmatter discloses in Fig 1 the photo-detection device according to claim 1 wherein a passive layer of silicon nitride is deposited on the electrode network.

7. Regarding claim 15, Strittmatter discloses the device of claim 1, but does not specify wherein a second face of the support has an electrode to apply an electrical field to the device the change the resonant wavelength of the resonant cavity by the opto-electric effect.

Itatani discloses in Fig 7 wherein the support of the Fabry-Perot resonator structure has an additional control electrode (12) that allows the optical properties (absorption coefficient, refractive index) to be varied (col 10 ln 32-40). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the teachings of Itatani on the device of Strittmatter in order to allow control of optical properties. Placement of the extra electrode on the top or bottom face of the support substrate would be an obvious design choice.

8. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strittmatter, Itatani and Brown (US 5,663,639). Strittmatter and Itatani disclose the photo-detection device according to claim 1, but fail to specify wherein the reflecting means forming a first mirror are composed of a silver, gold, or aluminum layer, or a multilayer dielectric. Instead Strittmatter discloses a Bragg mirror (DBR) of AlAs and AlGaAs.

Brown teaches in Fig 4 that a metallization layer (17) of gold may be used as a bottom reflecting layer in order to improve reflect photons and serve as a heat sink (col 7 ln 30-37). Brown also teaches in Fig 5 that instead of the metallic layer, a multilayer dielectric mirror (202) of AlAs and AlGaAs may be used, also to reflect photons and improve the conversion efficiency (col 7 ln 49-53). It would have been obvious to one of

ordinary skill in the art at the time of the invention to use the teachings of Brown on the device of Strittmatter and Itatani in order to improve the conversion efficiency of the photo-detection device.

9. Claims 7-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strittmatter and Henning (US 6,528,827). Strittmatter and Itatani disclose the photo-detection device of claim 1, but fail to specify wherein the layer of material that does not absorb light is made of $\text{Al}_x\text{Ga}_{1-x}\text{As}$, wherein x is of the order of 0.35, and the active layer is made of GaAs.

Henning teaches in Fig 6 that GaAs is typically used for active layers (104) to absorb light (col 4 ln 33), and layers of AlGaAs (106) with aluminum concentrations around 0.3 (col 4 ln 32) are used as transparent wide band-gap layers (col 2 ln 20-24) and buffers between high concentration layers and absorption layers (col 4 ln 33). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the teachings of Henning on the device of Strittmatter and Itatani, providing a conventional GaAs absorbing (active) layer and a transparent wide band-gap layer of AlGaAs, functioning as a buffer between the DBR and absorbing layer while at the same time remaining transparent to light.

Response to Arguments

10. Applicant's arguments filed 1 August 2007 have been fully considered but they are not persuasive. Regarding the argument on page 5 that the claimed features of the application result in electrodes being placed closely to each other without masking the

light – the Strittmatter reference discloses an electrode network being composed of parallel conducting stripes at a uniform spacing, the electrodes network forming a second mirror for a resonant cavity. Itatani teaches that reducing the space between the electrodes increases the speed of the device, and that that the spaces remain permeable to incident light with spacing not to exceed the wavelength. Therefore the claimed resulting limitation is anticipated by the references, and the optical characteristics of the second mirror are determined by the geometric dimensions of the electrode. In reference to the rejection not addressing the problem confronted by the claimed invention (see page 6 of Remarks), the mere fact that the references relied upon by the Examiner to evince an appreciation of the problem identified and solved by the instant invention is not, standing alone, conclusive evidence of the non-obviousness of the claimed subject matter. The references may suggest doing what an applicant has done even though those of ordinary skill in the art were ignorant of the existence of the problem. *In re Gershon*, 152 USPQ 602 (CCPA 1967).

Conclusion

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John C. Ingham whose telephone number is (571) 272-8793. The examiner can normally be reached on M-F, 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael Fahmy can be reached on (571) 272-1705. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2814

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Howard Weiss/
Primary Examiner
Art Unit 2814

John C Ingham
Examiner
Art Unit 2814

/J. C. I./